



AF
JFW

PTO/SB/21 (09-04)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM (to be used for all correspondence after initial filing)	Application Number	09/493,350	
	Filing Date	January 28, 2000	
	First Named Inventor	Brewer, John	
	Art Unit	1764	
	Examiner Name	H. Tran	
Total Number of Pages in This Submission	37	Attorney Docket Number	696-250

ENCLOSURES (Check all that apply)		
<input type="checkbox"/> Fee Transmittal Form	<input type="checkbox"/> Drawing(s)	<input type="checkbox"/> After Allowance Communication to TC
<input type="checkbox"/> Fee Attached	<input type="checkbox"/> Licensing-related Papers	<input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences
<input type="checkbox"/> Amendment/Reply	<input type="checkbox"/> Petition	<input checked="" type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
<input type="checkbox"/> After Final	<input type="checkbox"/> Petition to Convert to a Provisional Application	<input type="checkbox"/> Proprietary Information
<input type="checkbox"/> Affidavits/declaration(s)	<input type="checkbox"/> Power of Attorney, Revocation Change of Correspondence Address	<input type="checkbox"/> Status Letter
<input type="checkbox"/> Extension of Time Request	<input type="checkbox"/> Terminal Disclaimer	<input type="checkbox"/> Other Enclosure(s) (please identify below):
<input type="checkbox"/> Express Abandonment Request	<input type="checkbox"/> Request for Refund	
<input type="checkbox"/> Information Disclosure Statement	<input type="checkbox"/> CD, Number of CD(s) _____	
<input type="checkbox"/> Certified Copy of Priority Document(s)	<input type="checkbox"/> Landscape Table on CD	
<input type="checkbox"/> Reply to Missing Parts/Incomplete Application	Remarks	
<input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53		
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT		
Firm Name	Hedman & Costigan, P.C.	
Signature		
Printed name	Alan B. Clement	
Date	August 18, 2005	Reg. No. 34,563

CERTIFICATE OF TRANSMISSION/MAILING	
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:	
Signature	
Typed or printed name	Alan B. Clement
Date	August 18, 2005

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



696-250

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

In re Application of:

John Brewer et al.

Serial No.: 09/493,350

Group Art Unit: 1764

Filed : January 28, 2000

Examiner : H. Tran

For : MULTI-ZONE CRACKING FURNACE

New York, NY 10036
August 18, 2005

Mail Stop Appeal Brief - Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUBSTITUTE BRIEF ON APPEAL

Sir:

In response to the Office Action dated July 22, 2005, Applicants submit the present Substitute Brief on Appeal, in triplicate, in support of the appeal in the above captioned application from a final rejection dated November 3, 2004, and a Notice of Appeal filed on February 3, 2005. Reversal of the Examiner's rejections respectfully is requested based on the following arguments. The required fee of \$500.00 was previously submitted with the rejected Brief on Appeal on May 2, 2005.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail on **August 18, 2005** in an envelope addressed to:

Mail Stop Appeal Brief - Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Alan B. Clement, Reg. No. 34,563

I. REAL PARTY IN INTEREST

The invention of the present application is the property of Stone and Webster Engineering Corporation the real party in interest, through assignment from the inventors.

II. RELATED APPEALS AND INTERFERENCES

There are no related appeals or interferences known to appellant or its legal representatives.

III. STATUS OF CLAIMS

Claims 1-12 are the only claims pending in the present application. The rejection of these claims is appealed herein.

IV. STATUS OF AMENDMENTS

There are no amendments which have not been entered in the present application.

V. SUMMARY OF CLAIMED SUBJECT MATTER

The present invention of Claim 1 is directed to a furnace that cracks at least two separate and independent hydrocarbon feedstocks into different olefinic products. The furnace has at least one fired radiant chamber that is divided into at least two separate independent radiant zones by a dividing means. (p. 2, lines 28-31). The separate and independent radiant zones are provided with separate and independent feed tubes (not from a common manifold) and with separate and independent temperature control. (p. 5, lines 23-24).

The present invention of Claim 2 is directed to a furnace that cracks at least four separate and independent hydrocarbon feedstocks into different olefinic products. The furnace has at least two fired radiant chambers that are divided into at least two separate independent radiant zones by a dividing means. (p.3, lines 15-16). The separate and independent radiant zones are provided with separate and independent feed tubes (not

from a common manifold) and with separate and independent temperature control. (p. 5, lines 23-24).

The present invention of Claim 9 is directed to an improved furnace with a radiant cracking chamber. The improvement comprises dividing the radiant chamber into at least two separate and independent cracking zones by providing a dividing wall in the radiant cracking chamber. (p. 2, lines 28-31). Each separate and independent cracking zone is provided with a separate and independent process coil for directing a separate and independent hydrocarbon feedstock through each radiant cracking zone. (p. 2, line 33 to p.3, line 1). Each independent radiant zone is provided with separate and independent temperature control. (p. 5, lines 23-24).

VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

The issues on appeal are whether Claims 1-5, 8-10 and 12 as amended are unpatentable under 35 U.S.C. 102 (b) as being anticipated by or, in the alternative under 35 U.S.C 103(a) as obvious, to Thompson U.S. 2,323,498 (hereinafter “Thompson”), and whether Claims 6-7 and 11-12 are unpatentable under 35 U.S.C. § 103(a) over Thompson in view of United States Patent No. 6,159,001 or 5,711,661 to Kushch et al.

VII. ARGUMENT

The present invention as amended herein is directed to a single furnace that cracks at least two separate and independent hydrocarbon feedstocks into different olefinic products, having at least one fired radiant chamber that is divided into at least two separate independent radiant zones by a dividing means. The separate and independent radiant zones are provided with separate and independent feed tubes (not from a common manifold) and with separate and independent temperature control. The present claimed invention thereby provides a single furnace that cracks more than one different feedstocks under different reaction conditions at the same time to produce an entirely different olefin product slates. Applicants respectfully submit that the claimed invention is novel and unobvious over the applied art.

A. The Thompson Reference

In item 5 of the Office Action, the Examiner rejected Claims 1, 3, 5 and 9-10 as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over U.S. Patent No. 2,323,498 to Thompson.

Applicants acknowledge that Thompson describes a center wall up-draft heater with a combination radiation and convection furnace for heating a stream of fluid, either in liquid, vapor or mixed phases. However, Thompson teaches a furnace with an arrangement of fluid conduits in separate combustion zones connected to each other by *communal inlet and outlet manifolds*. In this regard, the process coils of Thompson comprise “a plurality of substantially parallel U shaped conduits 9 and 9’... which communicate ... with a plurality of substantially vertical, parallel conduits 10 and 10’” to form one continuously connected fluid conduit that is incapable of cracking two separate and independent feedstocks at the same time. *See* Thompson at col. 2, lines 45-50, and Fig. 1. Moreover, Thompson discloses separate inlet and outlet manifolds 11 and 12 within the separate combustion zones that share individual fluid conduits (i.e. 9, 9’, 10 and 10’, respectively) to form a mutual and continuous series of process coils. Such a configuration simply cannot separately process more than one feedstock at a time because the coils are all connected to reciprocal manifolds. The present claimed invention specifically requires the cracking of separate and independent feedstocks in separate radiant chambers to produce separate and independent product slates, which is not disclosed, taught or suggested by the common manifold configuration shown in Thompson.

Specifically, Applicants respectfully disagree with the Examiner’s contention that Thompson can be construed to teach or suggest an “independent process coil” for each zone capable of processing more than one feedstock at a time, as there is no suggestion of such an expedient anywhere in Thompson. In fact, Thompson’s teaching of common inlet and outlet manifolds teaches away from the present claimed invention.

The Thompson reference simply does not expressly or implicitly provide for separate and independent feed lines to the process coils, nor for the cracking of more than one feedstock at a time. Further, Thompson does not disclose, suggest or motivate one

skilled in the art to provide for an effective and efficient method for cracking more than one separate and independent feedstock at a time.

Instead, Thompson describes a simple furnace capable of heating only one fluid stream that passes through a ***common manifold*** into a series of conduits that is shared by the separate radiant zones. In fact, Thompson teaches away from the presently claimed invention by only disclosing process coils that are communally connected to one another. See Thompson at Figures 1-5. As such, Thompson teaches “process coils” that are incapable of processing separate and independent feedstocks without mixing the feeds together as called for in the present claimed invention. Although Thompson provides for separate radiant zones there is no motivation or suggestion for independent feedstock to enter and exit the furnace without being exposed to the communal manifolds and continuously connected conduits that make up the “process coils.”

Moreover, Applicants claim error in that the Examiner’s rejection failed to identify in Thompson where each and every element of claims 1-12 are shown. Specifically, the Examiner failed to identify where in Thompson there is a specific disclosure of the required furnace having, among other things, at least two separate and independent feedstock for each separate and independent process coil for cracking the separate and independent feedstocks to olefin before exiting the furnace.

The Examiner suggests that Thompson teaches and “independent coil for each zone.” Applicants respectfully submit that this suggestion is erroneous because the coil denoted as an “independent coil” by the Examiner is not an independent coil at all, but instead is a continuous series of conduits connected to ***commonly shared inlet and outlet manifolds***. See Thompson at col. 2, lines 45-50, and Fig. 1, 4 and 5. Such a configuration simply cannot ***independently and separately*** process more than one feedstock at a time because the coils are all continuously connected to the mutually shared manifolds. Thompson thereby effectively eliminates the users’ ability to crack various different feeds under various conditions to produce different olefinic product slates because the “process coils” must contain the same feedstock fed from the communally connected manifolds.

Thus, in sharp contrast to the express recitations of the presently claimed invention, the “process coils” and “manifolds” of the Thompson furnace necessarily contain the same feedstock and share the conditions of both radiant chambers. Thus, *separate and independent* cracking for various different independent feedstocks at various conditions as required by the present claims is not disclosed or suggested by Thompson and, in fact, cannot be achieved by Thompson.

In item 6 of the Office Action, the Examiner rejected Claims 2, 4, 8 and 12 under the provisions of 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 2,323,498 to Thompson.

With regard to independent claim 2 and dependent claim 4, Applicants respectfully submit that there is absolutely no disclosure in the Thompson reference that suggests the claimed features, which require at least four separate and independent hydrocarbon feeds are used to produce olefins by providing a separate and independent process coil for directing a separate and independent hydrocarbon feedstock that enters and exits the furnace through each said separate and independent radiant cracking zone, and separately and independently controlling the temperature in each of said separate and independent radiant cracking zone to crack each said separate and independent hydrocarbon feedstock to olefins. There is no suggestion or motivation in the teachings of Thompson regarding the cracking of more than one common feedstock, let alone the four independent and separate feedstocks called for in Claims 2 and 4.

B. The Thompson and Kushch References

In the Office Action, the Examiner rejected Claims 6-7 and 11-12 under 35 U.S.C. § 103(a) as being unpatentable over Thompson ‘498 in view of Kushch et al. (‘001 or ‘661). Because the Examiner merely relies on the Kushch et al. references to teach the use of Nextel material in furnaces, Applicants respectfully submit that for the reasons presented above, Claims 6-7 and 11-12 are patentable over the applied art.

In the Response to Arguments section of the Office Action, the Examiner suggests that Fig. 1 of Thompson discloses an alternative embodiment that discloses the claimed separate and independent process coil for each said separate independent radiant

zone for cracking each said separate and independent feedstock. However, it is unclear in the Examiner's response how Thompson's "[an]other embodiment in Fig. 1" that depicts "process coil 10 is disposed in zone 7 and process coil 10' is disposed in zone 7', wherein each coil 10, 10' has an extension 9, 9', respectively, the coils 10, 9 extend through at least a portion of the convection chamber 8 and into said zone 7, 7' before exiting said furnace," remotely suggests or teaches the claimed required "separate and independent feedstock" that enter and exit the furnace independent of one another. The Examiner's analysis of "separate and independent feedstock" fails because the process coils 10, 9 and 10', 9' are both fed by a ***communal inlet manifold*** that simply cannot separately process more than one feedstock at a time because all the "process coils" are fed with the same feedstock from the common manifold.

Further in this regard, the Examiner suggested the intended use of cracking two separate and independent feeds is of no patentable weight because the instant claims are directed to an apparatus and "also the phrase of process more than one feed stock 'at a time' is not recited." Applicants respectfully disagree with the Examiner because instant Claim 1, subsection (d) clearly and unequivocally states:

a separate and independent process coil for each said separate independent radiant zone for cracking each said separate and independent feedstock, wherein each said separate and independent process coil extends through at least a portion of said convection chamber and extends into one of said separate and independent radiant zones for separately and independently cracking said separate and independent feedstocks to olefins before exiting said furnace;

The presently claimed furnace is for separate and independent process coils in separate and independent radiant zones for cracking a separate and independent feedstock to olefins before exiting the furnace. Simply stated, Thompson's reciprocal inlet manifold that is exposed to the various conditions of each radiant chamber is precluded from cracking more than one "separate and independent" feedstock at a time.

Further, with regard to claims 9-12, these claims are written in Jepson format as a furnace that is improved over a conventional furnace, wherein the improvement derives

from providing a wall in the furnace and providing separate and independent process coils to the furnace. Because Thompson teaches only process coils that are dependent from a common manifold (not independent and separate), Thompson cannot be construed to disclose, teach or suggest the present improved furnace as called for in Claims 9-12.

In view of the foregoing discussion, Applicants respectfully submit that the pending claims are allowable over the cited prior art. Allowance of the claims therefore respectfully is solicited.

VIII. CONCLUSION

Based on the above, Applicants respectfully submit that the pending claims are patentable over the cited prior art and that the rejections of the Examiner properly are reversed. Favorable action is respectfully requested and earnestly solicited.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Alan B. Clement', written in a cursive style.

Alan B. Clement
Reg. No. 34,563

MAILING ADDRESS

Hedman & Costigan, P.C.
1185 Avenue of the Americas
New York, NY 10036
212-302-8989

IX. CLAIMS APPENDIX

1. A furnace for cracking at least two separate and independent hydrocarbon feeds to produce olefins, said furnace comprising:
 - (a) at least one fired radiant chamber, wherein said radiant chamber is divided into at least two separate independent radiant zones by a fired radiant chamber dividing means;
 - (b) at least one radiant burner in each said separate independent radiant zone of said fired radiant chamber;
 - (c) a convection chamber in direct communication with each said fired radiant chamber;
 - (d) a separate and independent process coil for each said separate independent radiant zone for cracking each said separate and independent feedstock, wherein each said separate and independent process coil extends through at least a portion of said convection chamber and extends into one of said separate and independent radiant zones for separately and independently cracking said separate and independent feedstocks to olefins before exiting said furnace;
 - (e) a flue for discharging flue gas located at the top of said convection chamber of said furnace; and
 - (f) a means for independently controlling the radiant burner in each said separate independent radiant zone.

2. A furnace for cracking at least four separate and independent hydrocarbon feeds to produce olefins, said furnace comprising:
- (a) at least two fired radiant chambers, wherein each said radiant chamber is divided into at least two separate independent radiant zones by a fired radiant chamber dividing means;
 - (b) at least one radiant burner in each of said separate and independent radiant zones of said fired radiant chambers;
 - (c) a convection chamber in direct communication with each said fired radiant chamber;
 - (d) a separate and independent process coil for each said separate independent radiant zone, wherein each said process coil extends through at least a portion of said convection chamber and extends into one of said separate and independent radiant zones for separately and independently cracking said separate and independent feedstock to olefins before exiting said furnace;
 - (e) a flue for discharging flue gas located at the top of each said convection chamber of said furnace; and
 - (f) a means for independently controlling the radiant burner in each said separate independent radiant zone.

3. A furnace as defined in Claim 1 wherein said fired radiant chamber is divided into two separate independent radiant zones having substantially the same area.
4. A furnace as defined in Claim 1 wherein said fired radiant chamber is divided into two separate independent radiant zones which have substantially different area.
5. A furnace as defined in Claim 1 wherein said fired radiant chamber dividing means is a brick wall.
6. A furnace as defined in Claim 1 wherein said fired radiant chamber dividing means is a curtain of Nextel material.
7. A furnace as defined in Claim 1 wherein said fired radiant chamber means is a combination of a curtain of Nextel material and ceramic fiber wall.
8. A furnace as defined in Claim 1 wherein said means for independently controlling the radiant burners in each said separate independent radiant zone comprises a means for controlling the temperature of each said separate independent radiant zone independently.
9. An improved pyrolysis cracking furnace having a radiant cracking chamber wherein said improvement comprises dividing said radiant cracking chamber into at least two separate and independent radiant cracking zones by providing a dividing wall in said radiant cracking chamber to separate said radiant cracking chamber into at least two separate and independent radiant cracking zones, providing a separate and independent process coil for directing a separate and independent

hydrocarbon feedstock through each said separate and independent radiant cracking zone, and separately and independently controlling the temperature in each of said separate and independent radiant cracking zone to crack each said separate and independent hydrocarbon feedstock to olefins.

10. An improved furnace as defined in Claim 9 wherein said fired radiant chamber dividing means is a brick wall.
11. A furnace as defined in Claim 9 wherein said fired radiant chamber dividing means is a curtain of Nextel material.
12. A furnace as defined in Claim 9 wherein said fired radiant chamber dividing means is a combination of a curtain of Nextel material and ceramic fiber wall.

X. EVIDENCE APPENDIX

Appellant is submitting no evidence other than that contained in this Brief on Appeal.

XI. RELATED PROCEEDINGS APPENDIX

There are no related appeals or interferences known to appellant or its legal representatives.